

KYNIN™

ASCOPHYLLUM NODOSUM

3-2-8

GUARANTEED ANALYSIS

TOTAL NITROGEN (N).....	3.0%
3.0 Water Soluble Organic Nitrogen	
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅).....	2.0%
SOLUBLE POTASH (K ₂ O).....	8.0%
CALCIUM (Ca).....	1.0%
1.0% Chelated Calcium	

Derived From: Nitrogen derived from seaplant extract (**ASCOPHYLLUM NODOSUM**) and urea. Phosphate derived from Potassium Phosphate potash from potassium carbonate and seaplant extract.

KEEP OUT OF REACH OF CHILDREN

WARRANTY: Western Nutrients Corporation makes no warranty, expressed or implied, including the warranties of merchantability and or fitness for any particular purpose, concerning this material, except those which are contained on the Western Nutrients Corp. Label attached to the product container.

NET CONTENTS 5 GALLONS
10.1 LBS. PER GALLON @ 68° F
1129 GRAMS PER LITER @ 20° C



PRODUCT INFORMATION

KYNIN is a nutritional supplement derived from sea plant extracts contain **ASCOPHYLLUM NODOSUM** and other plant nutrients.

KYNIN is a natural store house of over 60 naturally occurring major and minor nutrients, carbohydrates, amino acids and naturally occurring plant growth promoting substances which enhance crop yields, quality, and vigor.

Dilution Rates:

Aircraft: 4-10 gallons water per acre.

Ground Rig: 10-300 gallons water per acre.

APPLICATION RATES

AVOCADOS, WALNUTS, ALMONDS, PISTACHIOS, FILBERTS AND PECANS - ½ - 2 pints per acre at bud stage and continue weekly until 2 weeks before harvest.

BLACKBERRIES, BOYSENBERRIES, RASPBERRIES, STRAWBERRIES AND OTHER SMALL FRUITS - ¼ - 2 pints per acre at 3 leaf stage and then weekly until 2 weeks before harvest.

BROCCOLI, BRUSSEL SPROUTS, CAULIFLOWER, CABBAGE, ASPARAGUS - ½ - 2 pints per acre at 3 leaf stage and then weekly up to 2 weeks before harvest.

CARROTS - ½ - 2 pints per acre at 3 leaf stage and then weekly up to 2 weeks before harvest.

CORN - ½ - 2 pints per acre at 3 leaf stage and then weekly up to 2 weeks before harvest.

CUCUMBERS, SQUASH - ½ - 2 pints per acre at 3 leaf stage and then weekly up to 2 weeks before harvest.

COTTON - ½ - 1 pint per acre at seeding, pinhead, and bloom.

GRAINS, WHEAT, BARLEY - ½ - 2 pints per acre at 3 leaf stage and then weekly up to 2 weeks before harvest.

LETTUCE, CELERY - ½ - 2 pints per acre at 3 leaf stage and then weekly up to 2 weeks before harvest.

MELONS, PUMPKINS, CANTALOUPE, MUSK-MELONS - ½ - 2 pints per acre at 3 leaf stage and then weekly up to 2 weeks before harvest.

ONIONS, LEEKS - ½ - 2 pints per acre at 3 leaf stage and then weekly up to 2 weeks before harvest.

PEAS and BEANS - ½ - 2 pints per acre at 3 leaf stage and then weekly up to 2 weeks before harvest.

PEPPERS, GARLIC - ½ - 2 pints per acre at 3 leaf stage and then weekly up to 2 weeks before harvest.

RICE - ½ - 2 pints per acre at 3 leaf stage and then weekly up to 2 weeks before harvest.

SPINACH - ½ - 2 pints per acre at 3 leaf stage and then weekly up to 2 weeks before harvest.

SUGAR BEETS - ½ - 2 pints per acre at 3 leaf stage and then weekly until 2 weeks before harvest.

TOMATOES, EGGPLANT - ½ - 2 pints per acre at 3 leaf stage and then weekly up to 2 weeks before harvest.

POTATOES - ½ - 2 pints per acre at 3 leaf stage and then weekly up to 2 weeks before harvest.

VINE CROPS, GRAPES - ½ - 2 pints per acre at bud stage and continue weekly until 2 weeks before harvest.

APPLES, NECTARINES, PEACHES, PEARS, PLUMS & CITRUS - ½ - 2 pints per acre at bud stage and continue weekly until 2 weeks before harvest.

MANUFACTURED BY - WESTERN NUTRIENTS CORPORATION

245 Industrial Street, Bakersfield California 93307 • (661) 327-9604 / (661) 327-1740 Fax • (800) 542-6664 Ca. Only
E-mail: info@westernnutrientscorp.com • Website: <http://www.westernnutrientscorp.com>